



尚君实业（上海）有限公司
SUNKING INDUSTRY (SHANGHAI) CO.,LTD

尚君实业（上海）有限公司
SUNKING INDUSTRY (SHANGHAI) CO.,LTD



Tel:0086-21-33518045/0086-21-33518046
Fax:0086-21-33518047
Mobile No:0086-189 1736 0098
WhatsApp number:0086-189 1736 0098
Mail:shary@vip.163.com
www.sunkingmachinery.com
www.shsunking.en.alibaba.com
Add:Room 838 No.1877 Cao An Road.
JiaDing District , Shanghai City.



PLASTIC BOBBIN

2026 »»
SHANGHAI

纬纱管
WEFT
BOBBIN



180*16.4-锯齿 ZSY.W-001 180*16.4-R线 ZSY.W-002 180*16.4-锯齿 ZSY.W-003 180*16.4-R线 ZSY.W-004 180*16.4-锯齿 ZSY.W-005 180*16.4-R线 ZSY.W-006 180*16.4-R线细纹 ZSY.W-007 180*16.4-R线 ZSY.W-008 190*16.4-R线 ZSY.W-009 190*17-R线 ZSY.W-010



190*16.4-R线 ZSY.W-011 190*16.4-锯齿 ZSY.W-012 190*16.4-R线 ZSY.W-013 190*16.4-R线 ZSY.W-014 190*16.4-锯齿 ZSY.W-015 190*16.4-R线 ZSY.W-016 190*16.4-锯齿 ZSY.W-017 215*16.4-R线 ZSY.W-018 203*8-R线 ZSY.W-019 205*8-R线 ZSY.W-020 225*16.4-R线 ZSY.W-021 230*8-R线 ZSY.W-022



230*8 ZSY.W-023 200*16.4-R+锯齿 ZSY.W-024 190*16.4-R+锯齿 ZSY.W-025 180*16.4-R线 ZSY.W-026 180*16.4-R线 ZSY.W-027

经纱管
RING
BOBBIN



180*16.4-R+细纹 ZSY.J-001 180*16.4-出口型 ZSY.J-002 180*16.4-R线 ZSY.J-003 180*16.4-R+细纹 ZSY.J-004




180*16.4-R线 ZSY.J-005 180*16.4-尖头型 ZSY.J-006 190*16.4(R线细纹) ZSY.J-007 190*16.4-R线 ZSY.J-008 190*16.4-R线 ZSY.J-009 190*16.4-锯齿 ZSY.J-010 190*16.4-R线细纹 ZSY.J-011 190*16.4-上下全细纹 ZSY.J-012 190*16.4-R线 ZSY.J-013 205*17-R线+细纹 ZSY.J-014 205*17-R线细纹尖头 ZSY.J-015 205*17-R线+细纹 ZSY.J-016



205*17-锯齿 ZSY.J-017 205*17锯齿 ZSY.J-018 205*17-(R+锯齿)细纹尖头 ZSY.J-019 205*17-锯齿细纹 ZSY.J-020 205*17-R线 ZSY.J-021 205*17-R线细纹 ZSY.J-022 205*17-R线+细纹 ZSY.J-023 205*17(R+锯齿) ZSY.J-024 205*17-锯齿细纹 ZSY.J-025 205*17-R线+细纹 ZSY.J-026 205*17-(R+锯齿)细纹尖头 ZSY.J-027 205*17-R线 ZSY.J-028



205*17-(R+中下细纹) ZSY.J-029 205*17-(R线全细纹) ZSY.J-030 205*17-出口型 ZSY.J-031 205*17-出口型 ZSY.J-032 205*17-(R+锯齿) ZSY.J-033 205*17-R线细纹 ZSY.J-034 205*17-(R+锯齿) ZSY.J-035 205*17-R线细纹 ZSY.J-036 205*17-R线 ZSY.J-037 205*17-R线细纹 ZSY.J-038 210*16.4-出口型 ZSY.J-039 210*16.4-出口型 ZSY.J-040



210*17.9-出口型 ZSY.J-041 210*16.4-出口型 ZSY.J-042 220*17.9-出口型 ZSY.J-043 230*17-出口型 ZSY.J-044 232*17.9-出口型 ZSY.J-045 232*17.9-出口型 ZSY.J-046 230*17-出口型 ZSY.J-047 230*17.9-出口型 ZSY.J-048 230*17-尖头 ZSY.J-049 205*17-细纹 ZSY.J-050 190*16.4-细纹 ZSY.J-051 180*16.36-R线 ZSY.J-052

铝杆铰用
简管 (薄壁管)
ALUMINUM POLE
SPINDLES USE
BOBBIN

WARPING

											
230*22.5-PC ZSY.M-001	240*22.0 ZSY.M-002	250*20.4 ZSY.M-003	255*24 ZSY.M-004	257*22 ZSY.M-005	260*22 ZSY.M-006	260*22.2 ZSY.M-007	260*22 ZSY.M-008	260*24 ZSY.M-009	260*24 ZSY.M-010	260*24.4 ZSY.M-011	260*24.35 ZSY.M-012

															
280*22.2 ZSY.M-013	280*23.5 ZSY.M-014	280*27 ZSY.M-015	280*24.3 ZSY.M-016	285*27 ZSY.M-017	305*28 ZSY.M-018	310*32.5 ZSY.M-019	315*28.5 ZSY.M-020	320*27.4 ZSY.M-021	350*36.5 ZSY.M-022	280*27.5 ZSY.M-023	270*24.3 ZSY.M-024	260*27 ZSY.M-025	260*24.2 ZSY.M-026	250*22 ZSY.M-027	250*22 ZSY.M-028

															
250*22.5 ZSY.M-029	240*22 ZSY.M-030	240*20.2 ZSY.M-031	230*20.2 ZSY.M-032	260*27.2 ZSY.M-033	260*27.2 ZSY.M-034	260*22.3 ZSY.M-035	260*24.3 ZSY.M-036	270*24 ZSY.M-037	260*27 ZSY.M-038	260*23.5 ZSY.M-039	180*18.7 ZSY.K-001	180*18.7 ZSY.K-002	180*18.7 ZSY.K-003	190*18 ZSY.K-004	190*18 ZSY.K-005

																
190*17.2 ZSY.K-006	190*18 ZSY.K-007	190*18 ZSY.K-008	190*18 ZSY.K-009	200*18.7 ZSY.K-010	200*18.7 ZSY.K-011	200*18 ZSY.K-012	200*18 ZSY.K-013	200*20.2 ZSY.K-014	200*17.2 ZSY.K-015	200*18.7 ZSY.K-016	200*18.7 ZSY.K-017	200*18 ZSY.K-018	205*18.5 ZSY.K-019	210*20.2 ZSY.K-020	210*20.2 ZSY.K-021	210*18.7 ZSY.K-022

														
210*20.2 ZSY.K-023	210*20.2 ZSY.K-024	210*17.3 ZSY.K-025	210*20.2 ZSY.K-026	210*17.3 ZSY.K-027	210*18.7 ZSY.K-028	210*20.2 ZSY.K-029	210*19 ZSY.K-030	210*18.7 ZSY.K-031	210*20.05 ZSY.K-032	210*20.05 ZSY.K-033	210*18.7 ZSY.K-034	210*20.05 ZSY.K-035	210*20.8 ZSY.K-036	210*20.05 ZSY.K-037


															
210*18.7 ZSY.K-038	215*20 ZSY.K-039	220*20.2 ZSY.K-040	220*20.2 ZSY.K-041	220*20.8 ZSY.K-042	220*20.2 ZSY.K-043	230*20.8 ZSY.K-044	230*20.2 ZSY.K-045	230*20.2 ZSY.K-046	230*20.2 ZSY.K-047	230*18.7 ZSY.K-048	230*20.2 ZSY.K-049	230*22.2 ZSY.K-050	230*22.3 ZSY.K-051	230*20.2 ZSY.K-052	230*20.2 ZSY.K-053


															
210*20.2 ZSY.K-054	230*20.2 ZSY.K-055	230*20.2 ZSY.K-056	230*20.2 ZSY.K-057	230*20.2 ZSY.K-058	230*20.2 ZSY.K-059	230*20.2 ZSY.K-060	230*20.2 ZSY.K-061	230*20.2 ZSY.K-062	230*17.3 ZSY.K-063	220*22.2 ZSY.K-064	220*222 ZSY.K-065	220*24 ZSY.K-066	220*20.2 ZSY.K-067	220*18 ZSY.K-068	220*20.2 ZSY.K-069

铝杆铰用
筒管 (薄壁管)
ALUMINUM POLE
SPINDLES USE
BOBBIN

WARPING


											
230*22.5-PC ZSY.M-001	240*22.0 ZSY.M-002	250*20.4 ZSY.M-003	255*24 ZSY.M-004	257*22 ZSY.M-005	260*22 ZSY.M-006	260*22.2 ZSY.M-007	260*22 ZSY.M-008	260*24 ZSY.M-009	260*24 ZSY.M-010	260*24.4 ZSY.M-011	260*24.35 ZSY.M-012


															
280*22.2 ZSY.M-013	280*23.5 ZSY.M-014	280*27 ZSY.M-015	280*24.3 ZSY.M-016	285*27 ZSY.M-017	305*28 ZSY.M-018	310*32.5 ZSY.M-019	315*28.5 ZSY.M-020	320*27.4 ZSY.M-021	350*36.5 ZSY.M-022	280*27.5 ZSY.M-023	270*24.3 ZSY.M-024	260*27 ZSY.M-025	260*24.2 ZSY.M-026	250*22 ZSY.M-027	250*22 ZSY.M-028



															
250*22.5 ZSY.M-029	240*22 ZSY.M-030	240*20.2 ZSY.M-031	230*20.2 ZSY.M-032	260*27.2 ZSY.M-033	260*27.2 ZSY.M-034	260*22.3 ZSY.M-035	260*24.3 ZSY.M-036	270*24 ZSY.M-037	260*27 ZSY.M-038	260*23.5 ZSY.M-039	180*18.7 ZSY.K-001	180*18.7 ZSY.K-002	180*18.7 ZSY.K-003	190*18 ZSY.K-004	190*18 ZSY.K-005


																
190*17.2 ZSY.K-006	190*18 ZSY.K-007	190*18 ZSY.K-008	190*18 ZSY.K-009	200*18.7 ZSY.K-010	200*18.7 ZSY.K-011	200*18 ZSY.K-012	200*18 ZSY.K-013	200*20.2 ZSY.K-014	200*17.2 ZSY.K-015	200*18.7 ZSY.K-016	200*18.7 ZSY.K-017	200*18 ZSY.K-018	205*18.5 ZSY.K-019	210*20.2 ZSY.K-020	210*20.2 ZSY.K-021	210*18.7 ZSY.K-022

														
210*20.2 ZSY.K-023	210*20.2 ZSY.K-024	210*17.3 ZSY.K-025	210*20.2 ZSY.K-026	210*17.3 ZSY.K-027	210*18.7 ZSY.K-028	210*20.2 ZSY.K-029	210*19 ZSY.K-030	210*18.7 ZSY.K-031	210*20.05 ZSY.K-032	210*20.05 ZSY.K-033	210*18.7 ZSY.K-034	210*20.05 ZSY.K-035	210*20.8 ZSY.K-036	210*20.05 ZSY.K-037

															
210*18.7 ZSY.K-038	215*20 ZSY.K-039	220*20.2 ZSY.K-040	220*20.2 ZSY.K-041	220*20.8 ZSY.K-042	220*20.2 ZSY.K-043	230*20.8 ZSY.K-044	230*20.2 ZSY.K-045	230*20.2 ZSY.K-046	230*20.2 ZSY.K-047	230*18.7 ZSY.K-048	230*20.2 ZSY.K-049	230*22.2 ZSY.K-050	230*22.3 ZSY.K-051	230*20.2 ZSY.K-052	230*20.2 ZSY.K-053

															
210*20.2 ZSY.K-054	230*20.2 ZSY.K-055	230*20.2 ZSY.K-056	230*20.2 ZSY.K-057	230*20.2 ZSY.K-058	230*20.2 ZSY.K-059	230*20.2 ZSY.K-060	230*20.2 ZSY.K-061	230*20.2 ZSY.K-062	230*17.3 ZSY.K-063	220*22.2 ZSY.K-064	220*222 ZSY.K-065	220*24 ZSY.K-066	220*20.2 ZSY.K-067	220*18 ZSY.K-068	220*20.2 ZSY.K-069





3°30'-N-230 *72°30 ZSY.B-012 3°30'-N-170 *54°33.5 ZSY.B-013 4°20'-170 *59°28 ZSY.B-014 4°20'-170 *59°33 ZSY.B-015 4°20'-170 *59°33 ZSY.B-016 4°20'-N-172 *59°28 ZSY.B-017 4°20'-N-170 *59°33 ZSY.B-018 4°20'-N-170 *59°33 ZSY.B-019 4°20'-N-173 *59°28 ZSY.B-020 4°20'-N-170 *59°33 ZSY.B-021 4°20'-N-180 *54°20-芯 ZSY.B-022 4°20'-N-172 *59°26 ZSY.B-023 4°20'-N-170 *59°33 ZSY.B-024



4°20'-N-170 *59°33 ZSY.B-025 4°20'-172°59 *28-芯 ZSY.B-026 5°57'-172 *62°25 ZSY.B-027 5°57'-170 *57°12 ZSY.B-028 5°57'-177 *62°22 ZSY.B-029 5°57'-178 *56°14 ZSY.B-030 5°57'-177 *56-芯 ZSY.B-031 5°57'-170 *68°28 ZSY.B-032 5°57'-177 *56 ZSY.B-033 5°57'-177 *62°18 ZSY.B-034 5°57'-177 *68°30 ZSY.B-035 5°57'-175 *68°26/33 ZSY.B-036 5°57'-175* 68°23.5/31 ZSY.B-037



5°57'-170 *68°30 ZSY.B-038 5°57'-170 *68°28-芯 ZSY.B-039 5°57'-173 *62°20 ZSY.B-040 5°57'-170 *62°30 ZSY.B-041 5°57'-177 *62°18 ZSY.B-042 5°57'-177 *56-芯 ZSY.B-043 5°57'-177 *56-芯 ZSY.B-044 5°57'-175 *62°22 ZSY.B-045 5°57'-172 *62°19 ZSY.B-046 5°57'-170 *68°28 ZSY.B-047 5°57'-177 *56-芯 ZSY.B-048 5°57'-177 *56-芯 ZSY.B-049 5°57'-177 *62°27 ZSY.B-050



5°57'-170 *68°29-芯 ZSY.B-051 5°57'-170 *68°30 ZSY.B-052 5°57'-178 *66°21-芯 ZSY.B-053 5°57'-177 *62°18 ZSY.B-054 5°57'-181 *62°18 ZSY.B-055 5°57'-178 *66°21-芯 ZSY.B-056 5°57'-175 *65°20 ZSY.B-057 5°57'-172 *68°33 ZSY.B-058 5°57'-170 *68°28-芯 ZSY.B-059 5°57'-170 *65-芯 ZSY.B-060 5°57'-177 *56-芯 ZSY.B-061 5°57'-170 *68°33-芯 ZSY.B-062 5°57'-170 *68°28-芯 ZSY.B-063






5°57'-173 *68°31 ZSY.B-064 5°57'-170 *65-芯 ZSY.B-065 5°57'-170 *68°33-芯 ZSY.B-066 5°57'-170 *68°33 ZSY.B-067 5°57'-175 *65°23 ZSY.B-068 5°57'-175 *56°14 ZSY.B-069 5°57'-170 *68°29 ZSY.B-070 5°57'-N-174 *68°33 ZSY.B-071 5°57'-N-175 *62°22 ZSY.B-072 5°57'-N-177 *56°19-芯 ZSY.B-073 5°57'-N-177 *56°19-芯 ZSY.B-074 5°57'-N-177 *63°18 ZSY.B-075




5°57'-N-173 *68°25 ZSY.B-076 5°57'-N-175 *61.5°21.5 ZSY.B-077 5°57'-N-172 *68°26 ZSY.B-078 5°57'-N-175 *68°28 ZSY.B-079 5°57'-N-172 *68°33-芯 ZSY.B-080 5°57'-N-173 *68°33 ZSY.B-081 5°57'-N-170 *62°22 ZSY.B-082 5°57'-N-173 *68°28-芯 ZSY.B-083 5°57'-N-175 *68°29 ZSY.B-084 5°57'-N-177 *56°12-芯 ZSY.B-085 5°57'-N-177 *64°20.5 ZSY.B-086 5°57'-N-177 *56°12-芯 ZSY.B-087




5°57'-N-170 *68°28-芯 ZSY.B-088 5°57'-N-170 *68°33 ZSY.B-089 5°57'-N-170 *68°28-芯 ZSY.B-090 5°57'-N-170 *68°28 ZSY.B-091 5°57'-N-170 *68°33 ZSY.B-092 9°15'-177 *65°5 ZSY.B-093 5°57'-N-172 *69°33 ZSY.B-094 5°57'-N-170 *68°33 ZSY.B-095 5°57'-N-170 *68°33 ZSY.B-096 5°57'-N-177 *56°12-芯 ZSY.B-097 5°57'-N-170 *62°22-芯 ZSY.B-098 5°57'-178 *52.5°10-连体芯 ZSY.B-099





ZSY-062 588*370*78 紧密异形管架



ZSY-063 808*350*60 上销托盘




ZSY-064 605*325*75 上销托盘



190mm 落纱箱
ZSY-023



205mm 落纱箱
ZSY-024




205mm 落纱箱
ZSY-025



205mm 落纱箱
ZSY-044



490/400*280*270 落纱箱
ZSY-026




360*240*240 摆管箱
ZSY-027



520*340*320 周转箱
ZSY-028



370*320*275 周转箱
ZSY-043



592*400*340 周转箱
ZSY-029



500*380*300 周转箱
ZSY-030



640*440*360 周转箱
ZSY-031



430*430*355 周转箱
ZSY-049



570*380*295 周转箱
ZSY-042



620*350*355 周转箱
ZSY-065



ZSY-066 495*330*300



ZSY-067 430mm 错位箱



ZSY-068 230mm 落纱箱